




**High Temperature Sealing  
Thermal Insulation  
Heat Protection**



**Asbestos fiber Products**

Temp: 500 C

Products design : Cloth , Tape ,  
round braided ,square braided



**Fiberglass Products**

Temp: 550 C


Products design : Cloth , Tape  
,Ladder tape , round braided  
,square braided




**Ceramic Products**

Temp: 1200 C

Products design : Paper ,Blanket  
Bulk, Board,Tape , round braided  
,square braided



Mica Rigid Paper Sheets



Mica Tapes with Fiber Glass



Mica Paper Tubes



Muscovite & Phlogopite Mica



Mica Insulators

**PROCESSED MICA**

Mica Blocks, Mica Book Form Splitting, Mica Films, Mica Sheets

**FABRICATED MICA**

Mica Shields for Liquid Level gauges, Mica Discs, Mica Washers, Cut Mica Parts, Cut Films, Cut Strips, Spacers, Mica Insulators, Mica Tubes

**Gasket Mica Without Reinforced**



**MICA PAPER TAPES, ROLLS, SHEETS, PLATES, BOARDS AND PARTS.**

(Combi with one side or both side Backing Fiber Glass Cloth, Nomex / Aramide Paper, Ceramic Film, Mica, Kapton Film, Mylar and Polyester Film)


- Phlogopite, Muscovite, Fluorophlogopite & Synthetic Mica Paper Products
- Nomex Mylar Nomex
- Pure Nomex T410
- Polyimide Film Combi Adhesive
- Fiber Glass Rolls / Tapes
- Ceramic Rolls, Sheets & Tapes
- Flexible Mica Paper Sheets / Rolls

- Rigid Mica Paper Sheets
- Micatherms
- Mica Folium
- Heater Mica Paper Plates
- Mica Paper Tubes & Washers
- Mica Gaskets
- Fire Proof Mica Paper Tapes

Resins used: Silicone, Epoxy, Polyester Alkyde Vinyl



» Mica Paper Rolls



» Mica Paper Sheets



» Mica Paper Plates



» Mica paper tubes



» Mica paper washer



» Mica paper boards

**Gasket Mica Properties:**

Mica Type	Phlogopite
Compressive Strength (DIN 52913)	40
Compressibility ASTM F-36A	25% to 35%
Recovery ASTM F-36A	35 - 45%
Ignition Loss 30 MINS to 800° C	4%
Gas Permeability DIN 3535/6	>100 ML/MIN
Stress Relaxation 50 MPa/300° C, 40 MPa/300° C	5,801 psi, 4,641 psi
Continuous Temperature	900° C
Stress	14,503 psi maximum
Thickness Available/Other THK on reqst.	0.5 mm,1.20mm, 1.50mm, 3.00mm
Sheet Size(Standard)/Other Size on reqst.	1000 x 1200mm & 1000 x 600mm
Color	Metallic Tan